

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Currently amended) ~~[[A]]~~An intake device for an off-road vehicle comprising:
 - an intake pipe~~[[,]]~~;
 - an air cleaner case in fluid communication with the intake pipe~~[[,]]~~;
 - a connection pipe in fluid communication with the air cleaner case~~[[,]]~~;
 - a carburetor attached to the connection pipe~~[[,]]~~; and
 - ~~a plurality of resonators;~~
 - a dead space between the air cleaner and the carburetor and to a side of the connection pipe and having a width of the air cleaner case;
 - a first resonator attached to the intake pipe; and
 - a second resonator attached to the connection pipe and disposed in the dead space and the first and second resonators being disposed within a width equal to the width of the air cleaner case.
2. Cancelled
3. (Currently amended) The intake device of claim 1 ~~2~~, wherein first resonator and second resonator reduce intake sound levels.
4. (Original) The intake device of claim 3, wherein the first resonator reduces intake sound levels at a frequency range different than the second resonator.
5. Cancelled
6. Cancelled

7. (Original) The intake device of claim 1, further comprising an air cleaner disposed within the air cleaner case, wherein the air cleaner is attached to the intake pipe.
8. Cancelled
9. Cancelled
10. (Currently amended) An intake device for an off-road vehicle comprising:
an intake pipe[[,]];
an air cleaner case in fluid communication with the intake pipe[[,]];
a connection pipe in fluid communication with the air cleaner case[[,]];
a carburetor attached to the connection pipe[[,]]; and
~~means for edueing intake sound levels~~
a dead space between the air cleaner and an inlet opening and having a width of the air cleaner case;
a first resonator attached to the intake pipe; and
a second resonator attached to the connection pipe wherein the first resonator is located at a side of the intake pipe in the dead space between the air cleaner and an inlet opening and the first and second resonators are disposed within a width equal to a width of the air cleaner case.
11. Cancelled
12. Cancelled
13. (Currently amended) The intake device of claim 10 ~~12~~, wherein the first resonator reduces intake sound levels at a frequency range different than the second resonator.
14. Cancelled

15. (Currently amended) The intake device of claim 10 ~~12~~, wherein the second resonator is disposed in front of the air cleaner case and to the side of the connection pipe.

16. Cancelled

17. Cancelled